

(6) Yi2 On the proximate Course of Disease. on Dehilits - 10.1 on predispositions? & sative Orangeised &

the Object of I have inid Bathology is the history of the causes, Scats & Signs of discours; His Comis The courses I said were unti- pridis/svring,
a note a note original Departy and actual Sin. Sufue men are prodis mond to one vice only, - Others to enoue than one - answering to the sudispositions to discase - exciting & progeniete. I shalken begins with the proximate, inassmute, as it ing mines into the matrice of a discase in order to crere it. To render this hilyest intelligible to your I shall deliver a brumber and endureres to Damonsbute the moth of them.


I have said the Objects of Pathology is the history of the Causes, feats, and ligns of discuses. There Conses & have laid are somete, predisposings oursimal, or existing and proximate Thall cause. begin with the proximate in sommels as as the briend proceeds directly to it in its in: -quines into the Erature of a discuse in bodes to cure it. To revou this Subject as inilli--gible to you I shall sinoplify it by dilive = ring a mincher of propositions, and after= -wards endrawer to demonstrate the truth I shall begin by sunaching I that Debility is the predisposing land of all general discuss. This debility is water & aggerired & thall much a for rumarhoupen couch of them.




I of native debility. her all being into the world with with us were on lep of the wille with original or invate weakness, and process it, a predioporithon to discusse. Tomatimes this exists into the bounds to such a de gree as to burne a predisposition to discuse even in the word. Its effects have appeared there occasionally in the from of droppy, Epilipsy, Consubsino, te. tamo, gallstones, Sommitie, intermitting fiver, and inspenda animation aurunts of all which are to be met with in the neveds of anedicine. They are issually brought on by the indolence, hard labor, penny, heavy, ill terriper, processervents and accidents of anothers during pregnancy. But native debility more fregmently discovers



itself by certain discours while make Thus appearance immubiatily after birth, and driving all the months of infancy & years of thite hood. They are this rid gram, The Sore enouth, the belly ach, Dianshea, spiles, Epiles, Spiles, Spil Dry applean Later and Thydroughlabus internes. It would seem from this me - choly arount of the original delichts & discases of the fathers in Utters, and of infants and Children that the body and the mind anvila with cash Other in the water of thus origin. The former is as certainly womeined in hithweb and brought forthe in pain, as the latter is concerned in fin and brought forth in inignity. From




these facts it is wident that discusse, is with extend wat housetters and in many Cases discuse itself is the as as much the natural and hereditary portion of man as randa a predisposition to moral will mosal wil itself. I shall I hope prometing - after that they the latter, like the former depends upon mudisposition to discuss inquition partiet. While I thus maintain that we bring into the world with a predisposition to discase from much much shifty, I admit that it is very energial and envelied by what I have called anywing It arguined debrility.




Their arguind I fin infamy Alhildhood to Debihity is the state of the with the state of Hospital Injuries ruin a in partiention which have a previs som time to disease from debility. and the 2 By the austrin of washing the tender blesh of new bones infants with ardent Sprisits, wine, or Joan and water all of which by this undue Stimulus produce subsequent delicity, and predisposition to Discases 3 By diet exupire in quantity, on of an muholsome quality. Children are often capsacity to Digest what they take into their Stamueles. hence the pregnerry of puting in them. It has been cabled

V aliment of an un holsome Genality are vrey trumon in heursble life in all Countries.


very hossily infantile fensuality. Their food is anoxoner surdened Offensine for and debilitating when taken from the breast by the internessance, or the propring this mothers, and when of another kind, by the enixture of wine, Spins, or biles Tubs tour ces with it. The instances of abienent, on alients of abienent, on I By their the soling the caps, thays gastess, and other articles of Clorking, 5 By the improper Use of ardint spirits and other Cordials, to allay Discusses in their bowels, all of which by inducing debility, induce a predisposition to disease. 6 By the mematrice application of thering to the pour of any kind, and parti-- ulasly to such Studies as are dispressor. - tioned :



to the Capacities of Children, Inch as young = run and the higher branches of areth. - metie. The injury done to the System by thus over distanding the memory, is much evere as to by the Comfinement of Children upon benelies in close Schoolsoons for eix or levere hours every day their bodily exercise which is preventing that bodily exercise which is the constantly required to sente - Dation for freture agility and his ette. The Estate Close februlevours is rendered still more debilitating by the about forlain generated & confined in them. To the causes of patings delistits and indewed in Schools, I may add Dere more, that is the Dispotism of



Schoolmasters which acts as a uniform fedative upon both mind and body. I have sun many instances of aut Jones from the former instances of fourth dir in Schools, and instances of mintal debility from the tyranny of Schoolmasters. I Bability in Often insome hapther falls, and accidents to which infants of thicken are exposed. They are more often pudispud to discase from being them bented, or printed or infrapely skahen by papionate mothers or trusses. I have known om internal Droppy of the brain brought on by the Stroke of a brush handle upon a Child heed by the hand of an angry mother. & By the arressements of Children. These by their fatiguing



exup, or by the audents which often the State debility in every part of the body, and thus pretispose to disease in every bulse. -quent period of life. I had a Schwohnate who was afflicted after he became a Inan head ach head ach with a distriping from the head are to which his physician ascribed to his being often lifted from the ground when a School boy, by the hair of his head. 3 Debility is arguised in adult life forms
in old age from a variety of causes which Juliale pap over at present, and proceed to unawh that this debility whether Est innate, or argenized in infancy schildhood, or in Julisignent privately life is sometimes general, and affects

ALL STATES OF THE STATES OF TH Wowthe Contrary they Designatisthe State of the enind only, & Line the origin of the land - for the foruses which Constituted the Different temperaments men empsoiled to aut your friendly upon the temper. 


every part of the body at the same time, but it is more Conservouly partial, and occupies but toos a part, or parts of the body. It has received the erame of term: -peraments of which there are said to the bilions the bilions be four - bis - the Innguirmons - the melan. = chollie i the bilions and phligmetic. They were antroduced into pathology by galen from whom they have been copied by all Intelled succeeding physicians. I object tome temperament idoes not comey because it does not comey the any priviple with of the state of the body. 2 I object to the terms "Langueineme because it places the predisposition in the blood in-- street of the blows wepels. I object 3 to the termbilions, burnese it places the previoposition

In boden to understand the melining & extent of please to recollect that I said in our physiolosy that over behole frame including body omind was a Unit, but that it was divided into a muncher of different Systems which synaputhined With itself, enoue than its mighbouring Systems. has distinct preparties, and performed different that more is affected by causes both hative, and against that induce debility en it without af = feeting any of the Other Systems. Adystem when thus debilitated, and rendered excitable by its debility laboren under a predisposition to disease. The Systems thus predisposed to discuse are the -

to disease in certainflates of the bile instead of the Liver, and I object to the tenens melaneholy rephlymatic burnoc they conney idens of disease instead of the a predisposition to it. hoston Having rijected the term temper. - rament, permit me to substitute in its worn the plain and obvious term of Bredisposition, by which I mean andp. france in matine or arguined debility. V into griffind and sing of fanguitures the - hipatii - newores - museular - Cuphalie, the phrenetic - alimentary - Lymphatic, and Custameous & the strong or in other words in the state of th

I have the perous repelo in the lungs to the Skin, from their Jugment rysletion and pysletion, from their being to liable to be Stimulated, top or overcharged by Mestruted perspiration, and from their quet inita. - which mores exposed them to be actid upon by insumerable for exha - lations which flout in the air, they are Oftener in aftate of predisposition to Disease than any other of the Systems. The discuse to which they are most liable is fiver, and hence fever, is the most common of all discuses in most tounties, and where this is not the croe they are seldom fue of Inorbid action, where discuses invades touts wort of the Other Systems. MANUEL NEW TOWNSHIP TO THE PARTY OF THE PART

asit appears in the libror refrets-Liver, nevers-smuscles, bruin, brind Lymphatics & Chin. I shall bethe briefly describe the mulisposition to disease as it ap. I This artiful pudisposition tonay be sub: = divaded into pulmonary - aaostis- and Uterine. I found this subdivisions of asteri -al debility in the existence of a sperific pardisposition to discuse in the fuguent Decement of western in the hastie System without affecting the langs or the Word, I Utterine and in the existince of pulmonary ton = gestions and free ho-- monhages without being altended with frangel Signal four in the pulse, or with any sympathetic action in the austic Lystern. It has been said that the hours one always meternaturally large in



persons subject to the artisel predisposition to discussion Consequences of which they take in a pretermentual quantity of air, and there's engreroziginate the blood, and thereby produce that the wibratility in the blowd repels which dispose them to discuse from flight occasional or existing Courses 2 for the Lysatie predisposition the liver is said to be metermenteral large, and from that Circumstance to seerete a preter. natural quantity of bile, Which Discours itself by an apititude to diamhou, name, Colie, and when its exerction is prevented, to pain and Iwelling on the right lide. This Indisposition exists chiefly in Lot Chievets and in warm breather in such as are temperate. - It discovers itself envenous of after exercise, and the endown action of

I this viscus may appear it has anextin:

- live Sympathy in all its discuss with

the Stomach, the bowels, the Splien, and They

bear are all connected by what Dophuson

calls interconversumion of Sensation. This

is so enucle the case that is Often difficult

to ascertain which of those biseura is

the feat of a discuse, from the same

the feat of a discuse, from the same

type towns being common to them all.

the Stimulating papions. However solitary 3 The newous predisposition is autompanied with an applitude to be affected by flight impressions of a Congresseal & mental nature. Pensons who are afflicted with it are to the hysteria. They ful plussere Up ain in a grich Insupion, and himes they are often happy and mismable, half a dozen times a day. They are even unhappy from the natural natural imprepions, and hence much as are artificial, particularly arount frisits to wine are often resorted to as Lubstitutes for them. Inch persons was be said to be all news. The celebrated D'Zimminnen laboured under this predisposition to Discase, & 21 was the Lower of all the contravenies & Disquietudes of his life, to

Vamony the idle, and businessons part of mankind, and veins enost frequently in which long in those Itales of Society in which long habits of involence or Humalating Johnsons habits of involence or Humalating Johnsons have wome array, or expended the have wome array, or expended the excitability of the blood repels upon excitability of the blood repels upon excitability of the blood repels upon which both make this first imprepiers.

them a Shade our his great intillectual endonvenents. hence his høje soid of him for his remes! 2 This predisposition acciets 4 The museular predisposition is known by little tensibility, but great initability in the runscular fibres. Pensons who are affected with it are generally disposed to active employments. They are unable to remain long in an position, or ween to sit long in Company, but when restrain = ned by a truse of duren, their hands, their feet, or this heads are constantly introtion. -They walk with a grick Step, - they side in a Gallogo - or Drive this Camiages at full theed. They are restless even in bid, and rise early in the morning. Hos

V and hence we find it more fuguently anny Children than abritts, and somong Harris Station armong white perfeter in the frontes of the trackers that the same 

painful to thum, and they enjoy [if I may he allowed the expression) repose only in setivity. Luch men may be mid to be allemiscle. This predisposition is attended ovith but little intitled, henry we find Strength and amonge many where appriled to bescules, but in no instance Unpropping of I have said this publishment is attended with but little funsibility, here the Engrass in the hust Indies, who are most subject to belances & Other mus: Invital with suith much barone fortitude than White prople. They were convisie with Calmings During the amountation of a himb. It is from this deficiency of hursibility in persons

V of the predisposition to the first of the discuses I have named I have met with be Lived of several remarkable instances in Stare different jamistres. In in this exte, of two in wany and. In one of them form out og lig Challen I den stor another of out of 20 die Thillen chied of the droppy of the brain & all of them about the graph of life. The Caphalie presis pointion these farmines


of thong and instable annocles that they wider discusses which persons of enrue Sensibishity revuen. The numes refracto act as Centinals for them, and hence they are often in the continues of diesthe hipore they ful cither frehness or pain. o The aphalic pubis position and the add to the or of the state attended with an aptibility to head when untigo, palsy and apopulary. It differs from the 6th or phrenetis Butisposition in wempying the interior and lower contracted absorbs The Dina mater parts of the arebellum, while the Ishranetic, auviding to De quel oursies exclusively the upper region of the

I the Hightest deviation from ordinary habits induce them; and ench is thepper. I disposition of the parts of the brain which are the feats of those discases, that they seem for years and in love instances during a long life, to absorb unducine: - prepions from many other part of the holy. Luch pussons may be said to he all head.


and I was

It appears in an aptitude to be delirious from withen the Plightest pure. This was the case of the family of Chain of once attended in this city of the name of Prisson. It was induced in all of them even by the gentle pure in the precides the comption of the proceeding by the process by the process by the process by

brain, It is certain many persons are afflicted during this whole lives with head ach, who never discouer the least Lympstown of alienskin of mind, with eges ally true that many persons where affected by small by never Complain of any previous head ach or other sunsible disease in the brain. The phrenetrie pretis position frequently discovers itself in early life by uncommon capacity to acquire knowledge, and when this Copsonity is unduly grætifud, it often brings om a mennetære Dorth on wears the mind down to a State which I shall presently discribe that unders it unfit to arguire or retain knowledge. It is often anougranied with great




ich pressures, or with Mores truding with a slinder Understanding wird strong papions. When it is commetted with healthy herves, blows repels and bit the Lystein does where but the Case, it seldow fails to Enduce discuss and suffer some mental discase. Den Swift my huppfrily Compares persons with this phresietie provisposition to a Iwon which him two large for the I cab bard, cuts the birdy through. as the absence of wateral fersation is painful to the pursons laborering unter the mous predisposition, so the absence of mental Stimuli is painful to the persons who popels the phunetic predisposition. The System Canquishes in them, under the buble Stimulus of this ordinary thoughts




Unhihe a water whose pring is within its and invisible, they resemble a Clock who which can move only from an estimal and visible inspersion impulse. This impulse is during from constant exercise, lebon, reading, briting, or Con-= un ation. By the abstraction of the whole or even a part of tham, with persons have Often paped endeurly into marnes, on elowly into incurable fatrity, They may be soid to be all bring as the predisposition was teated only in adjuring parts, only in the brind. Inch persons may be said to be all Errised. The abineratory predisposition may be subdivided into gastritie de interland, for we often observe healthy howels with an excitable Stornach, & a healthy

vand sametimes we see it providing whole Jamilies for several Jewerations. I attended in the of 1807 in line in a Carly Cast Summer wire Rolan in when a Colis whose mothers or grand mothers had of it -And the state of t 


Stormach with axistable bowels. This predis--position is most common in infancy it in abut life, and duch is the Lympathy between the Stormach and howels in many previole that the Discase in these points is induced by the lightest imprepious, when the most sent posts promuely or bourelo. & In the Lymphatic predisposition the Lings are raid to be swall, and the butterray crate with and house also orhents perform thus office with under celesity and force. They are moved by flight impressions, and hence the sudden and great been absorption of liquids in some Stormusles, and of the rapid de cossiones discharge of them his Usine. The frequency of Dryssies in




surist countries probably arises from Il a want of a due proportion between the absorption of misture from the air by the Lympoutics of the himps, and its Dischurge by the kidnings & Skin. But the activity of the Lynnshatic, coppens must obvious in the Laden and great absorption of liquids by the Hornach and its their rapid & cossiones discharge by the Usine agnosup. in the disease called Siabetts & hich pessons evens to wardenisting the throsbut. & The trulkening medis position discours itself in the faithty in water we redrup, teling, and impliently with which has demanded for freble insprepions upon the Spire. For some great is the existability of the Shire in Some purple that the distant Offervia of the Khus radicans indnes un Trisipelus



on many part of et while sessons who are divoid of this previs position are no ways affected by it. D': Patterson has lately supposed the atmosphere has some there in mo: - During this partis position at particular fearous and to this he as wiles west only emptions tions sur on the Ministret the greater fairlity with which the variolous and Vaciene discases are Communicated at some times than at Others. The Difficulty with which wounds and loves heat in some propple, and the failety relief which is given to many internal discuses by frictions and other applications to the Ikin probably depend upon their greater anvelied excitability on predisposition to Discase. \_harth pusses the Shine some aspear to be all This.



Lived life. From men live without a winstant predisposition to discuse from his restant predisposition to discuse from inative was or assuised debility. This remark is not originally mine. Class long ago said. "Raso quisquam, non aliquam parties instecillan habet."



the Skin appearants be all Skin fretter Thouse their commented the principal general, and partial prediposition to whether my time acquired or healthy. discuse I shall were 200 a few general remarks upon them. I the some sprie, or more of those pudio: - positions exist in every person. Thomas alhild be born with a perfect body and mind, that is predioposed by weahness and excitability to no One discuse, it would Loon acquire a pubisposition to it in some part of its System by the ordinary austoms of civi-= lired life. Frew men live without a constant predisposition to discuse from native was or aggired debility. This remark is not originally mine. alsus long ago said. "Raro gnisquam, nom aliquam/sattem inebecillaren habet!

and dynified flate of the Ultims and lunghow this -- out the whole System which are Belieb characteristic of both local & general She disease for followings the Hebity Abbility of a Vehrenal organson + and a Inse of weappress and wearings is the general preference of the procuse of parturition

Where is the presson who papes a whole day with regular exessions as time and grantity, or without une as incho in some part of the body? or wino is papies a vight undisturbed by visations or chragmable dreams? - non all These Deviations from health, and the effects of Invious debility & excitability. in some frant of the hu thort-prespect health is as sare, as sufert Vistue, on perfect reason. Even the common dysess of it which we enjoy are, like ansimul life, the effects of force. wood It is by The twe expose to discase, are best from it, aparty the agent of medicine is to direct

V 2. From than our of these predispositions trist at the same time in the same Sys. = terns. The "artirial of hysatic Inchastion are generally united in whim Chinalts. - all discores Sommeri sons are Infoposed to originate in Egypt from "blood and bill, that is, from the blood repels & in which in which is being always in a State formitability, they are believed to produce blood & bile in excep or of an unhealthy gushity. The hypatrie and ahmentary metispositions Often existin the same purson. The sunsular & ahmentary medispositions are very Common in Children. The evenous-emmenter and Clip halie previspritions exist in all those Joensons who are subject to Gillpry. The cephalic and Hownshie produst mions are often blanded together - Where the cusposed


this care to its morns Objects. It shows that the respectly of our profesion to be should formate the original parameters with body. We see building to I the predispositions to disease vary in different periods of life. La internery of Continuous salvante in fredominate in frequency Convelsions and bowel Conjelaints in those Stages of life. The arterial obligation Sometimes - Williams -Ces halis in old age. But the predispositions very even in the different fear wins of the the Spring the hypatic and Abrimulary a carterial & in the Summer - the crewords in the ana They are sometimes arguined by discase. Eg: a plurior, modules the pubmon satisfal huye de ly

actions of the brain Aftornach in indusing newwood like assess. The appliable, and phrenetice pudis positions sometimes occur in the same pessons - hence the pregnent Constitution Succession of hystoria - Hypo. - conditaris - had the & mariew to cach Other, or their aussianul Combinations. The newous & arterial predispositors are from the relief which Blowdelling adverse, ting unesies of product in that disease. -V I have soid the predispositions are thought im sumspine generations of this I have obser - ved en any instances . The Changes are generally to forebisportions masky related predispositions. Thus the Hammitte often Queues the newers predisposition, and the Cephalie, the Ishrevitie. There is a Januily in this city in which the father was several times diranged. home of his Whiteren have

The prehis positions formations Faters to through whole families, & Descend to Distant generations, but they are Offmer enissed, changed, or lest by the intermen = rigges of Jamilies with cach Other. V & The has been remarked that certain chis cases prevail exclusively in form nations, of Others. This provinces by a Uniformity of predisposition, in hule this and they disappear from those hatious or provinces by the misture of Anongers with them from Languest or migration. It was because the anient Grubs were so much insolated, and popeped terele a Samenes of predisposition that many of their discesses, and particularly that the Ligna and Crises of their buess

= mudid to his phremitis privispourtion, but all of them has are affected withthe Cephalis, in Conseymence of which they are all enose or less affected miles what is white his the hand ach. former. I have known maria in like manner to appropriate in this weeding and to be tollowed by moral plenangement in this weeding one. V predispositions upour the mind that they arguered the never of tempsessi. = michts, or causes which acted you the timper.

are characterized by a Uniformity that has is seldown suns in worden Countries. hence brany of the opinions Ofmitichous of Thippsourates are contradicted by the Observations of Ashysicians who practise in Countries inhabited by a midthere of The Variety in the human wind to Character Depends very much the Tiffennee of medisposition to chis use in Different people, and the Changes which take Islace may be derived from the Changes in these predispositions from fichness, and the Differ Incupive Stages in life. The medispositions which thus in fluence the human mind says the agtirial, Little liver - the runes - and the brain. It was beam The influence of these



& a pudisposition to discase, on lucaknessin One part is Often attended with metionatural Strength, or an inapplitude to disease in Other Joants of the body. Henre we bee mak nemes and vibratile blood befrels withsound and vigorous muscles, and active orftrag Lynnshatis with heath news. The latter fact is obvious in the rapid absorption and discharge of water in hystorial & the April the hyporomornaical patients. The Lypophalis population in the effect of preterentical force in the Lympshalie Vypels. Those From these runasko you must percine how meepsary it is to thirty the Different medispositions in invistigating the causes, and prescribing for the Cure of discases. — The same courte Causes

If explains the reason why that morbid affection alise sty supposed to be a specific Disease - callo gout-affects different fraysle, in To many different trays - according to the parts of the body, which are the feats of Indisposition. But we wow litter must with exuptions to this run ask. a Januarys of Occups athon tometimes produ--ces a dameness of medisposition in Irumums Mapes of puple, and win a damesulfo of Discuse. Of this his John Paringle meartines a runarhable instance. He says the Dyson-- lesy, arriving boldies in the same in all Countries and in all sensous. Differed concus in this ermant wire this must be owing to the daments of the diet; of the world.

act very differently upour persons auor - ding auxiding to their erative or arguined i pridis positiones. De Doignan illustrates Le, this, by a very apposite fact. From young men of the same age coverheated themselves at School, on the same Spring day, and with the same digrees of the same kind of sichned some exercise. They were all to indispend some aftenours, but each one with a different disease, auviding to his predisposition. This Variety of medisposition explains the reason Why the same Epidemie to often appears with such different Sympstoms under every profsible assumstance of equality. It explains the Cause likewise why the same distances and diet produce such different and opposite effects in Diseases which all Other aircrastances

